How to configure a gigabit aggregation switch

Overview

Configuring Link Aggregation Group and Link Aggregation ControlThis chapter describes Link Aggregation Group, Link Aggregation Control Protocol, and manual.

Key Takeaways

Aggregating gigabit switches involves combining multiple physical ports into a single logical link using protocols like LACP to increase bandwidth and provide redundancy.

Understanding Port Aggregation

Port aggregation, also known as link aggregation, port trunking, or port bonding, allows multiple physical Ethernet ports to function as a single logical connection. This increases throughput, balances traffic across links, and provides failover if one link fails. Aggregation is commonly used between switches (switch-to-switch) or between a switch and a high-performance client device (switch-to-client) to handle higher traffic loads.

Key Protocols and MethodsLACP (Link Aggregation Control Protocol, IEEE 802. 3ad): Dynamically manages aggregated links, ensures both ends agree on settings, and provides automatic failover. Static Link Aggregation: Manually configured aggregation without dynamic negotiation.

It works but lacks automatic failover and is prone to misconfiguration. MC-LAG (Multi-Chassis Link Aggregation Group): Advanced setup where two switches act as a single logical unit, providing load balancing and redundancy across multiple devices.

© 2026 ROGER FIBRE ATELIER - All rights reserved

Configuration Guidelines

Port Selection: Choose sequential ports on the switch for aggregation. Ensure all ports have consistent settings, including speed, duplex mode (full duplex only), VLAN configuration, and STP parameters. Mode Selection: Active Mode: Port initiates LACP negotiation.

Passive Mode: Port responds to LACP negotiation.

O

N Mode: Adds a port to a static aggregation group without LACP. Configuration Order: Start with the downstream switch (closest to the client or edge device) and move upstream toward the core or management console. Cabling: Use high-quality Ethernet cables (Cat5e or higher) or SFP+ modules for maximum throughput, especially for uplinks to aggregation switches.

Best Practices

Ensure all aggregated ports are on the same VLAN or trunk configuration to prevent traffic issues. Avoid mixing static and dynamic aggregation on the same link. Monitor aggregated links for load balancing and failover performance.

For large networks, consider MC-LAG for higher resilience and minimal downtime. By following these steps, you can effectively aggregate gigabit switches to increase network bandwidth, improve redundancy, and maintain stable connections for high-traffic environments.

Article Content

Configuring Link Aggregation Group and Link Aggregation Control

This chapter describes Link Aggregation Group, Link Aggregation Control Protocol, and manual load balancing. This chapter also describes the configuration procedures.

How To Set Up Switch Link Aggregation

I''m going to set up Link Aggregation between two gigabit switches: an 8 port Linksys SRW2008; and a 16 port Netgear GS716GT, shown in Figures 1 and 2 below. We covered both switches here a while

Port Aggregation FAQs

To learn how to configure an MC-LAG setup, see this guide. Find help and support for Ubiquiti products, view online documentation and get the latest downloads.

Aggregated Ethernet Interfaces Overview | Junos OS | Juniper Networks

© 2026 ROGER FIBRE ATELIER - All rights reserved

You can configure LAGs to connect a QFX Series product or an EX4600 switch to other switches, like aggregation switches, servers, or routers. This example describes how to configure LAGs to connect

Etherchannel on Cisco IOS Catalyst Switch

This lesson explains how to configure Etherchannel (Link Aggregation) using PAgP and LACP on Cisco IOS Switches.

Unlock Speed with Ethernet Port Aggregation Guide

Follow the device''s guide to group ports, set link requirements, and pick a monitoring interval. Some setups include trunking or VLAN tagging for more flexibility.

Configuring Trunk Groups and Dynamic Link Aggregation

The Trunk Group feature allows you to manually configure multiple high-speed load-sharing links between two HP Routing Switches or between an HP Routing Switch and a server.

Interfaces User Guide for Switches | Junos OS

Use this guide to configure, monitor, and troubleshoot the various supported Ethernet Interfaces, including aggregated Ethernet Interfaces on Juniper Networks switches.

Dual-WAN vs. Link Aggregation, Explained

Learn all about the differences (and similarities) between Dual-WAN and Link Aggregation, and the steps to set them up in your supported hardware.

6 Best 24 Port Gigabit Switch | 48Gbps of Fanless Speed

A managed switch (or smart switch) lets you control how traffic moves — you can create VLANs to separate networks (guest Wi-Fi vs. office devices), set up link aggregation to combine

Network Switches

Cisco network switches deliver performance, flexibility, and security. Cisco switches are scalable and cost-efficient and meet the demands of hybrid work.

Introduction to Core Switch Configuration

A switch that functions as part of a router and operates at the third layer of the OSI network standard model, the network layer. The most important purpose of the layer 3 switch is to speed up the data

Managed vs Unmanaged 24-Port Gigabit Switch | Which Wins?

© 2026 ROGER FIBRE ATELIER - All rights reserved

Managed vs Unmanaged 24-Port Gigabit Switch — learn which type fits your network, with direct cost comparisons, feature breakdowns, and real model examples.

TP-Link 8 Port Gigabit Switch | Easy Smart Managed

TP LINK''s Gigabit Easy Smart switch, TL SG108E offers network monitoring for users to observe traffic behavior. With Port Mirroring, Loop Prevention and Cable

What is a gigabit switch?

Gigabit Ethernet switches are the foundation of modern networks, performing the vital function of directing data from one device to another on a common network.

24 Port Gigabit Switch vs Unmanaged | Which One Do You Need

An unmanaged switch delivers plug-and-play connectivity for about $70 — plug in cables and it works immediately. A managed 24-port switch costs substantially more and requires configuration, but

HPE Aruba Networking CX switches

HPE Aruba Networking CX 6300 Switch Series Layer 3 stackable access and aggregation switches with Multi-Gigabit Ethernet, High Power PoE, and up to 100G. New 1G option is optimized for IoT density.

VLAN and LAGG Setup — OPNsense documentation

The OPNsense and the Switch are either connected with a single network cable, or with multiple network cables via Link Aggregation. The Port Mode describes the configuration of the Managed

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 ROGER FIBRE ATELIER - All rights reserved

Contact Us

Continue your research online:

Website: https://artduferoger.fr
Technical inquiry: https://artduferoger.fr/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ROGER FIBRE ATELIER - All rights reserved